

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	142	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((concurrent simultaneous) WITH (read) WITH (write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:14
L4	119	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((concurrent\$2 simultaneous@\$2) WITH (read) WITH (write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:14
L5	346	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((concurrent\$2 simultaneous\$2) WITH (read) WITH (write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:14
L6	124	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((concurrent\$2 simultaneous\$2) near3 (read) near3 (write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:14
S1	1347	((write) NEAR (pointer)) with (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:44
S2	1566	((write) NEAR3 (pointer)) with (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:45
S3	1341	((write) NEAR3 (pointer)) with (queue FIFO)) SAME (read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:46
S4	1109	((write) NEAR3 (pointer)) with (queue FIFO)) with (read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:46

## EAST Search History

S5	1062	(((write) NEAR2 (pointer)) with (queue FIFO)) with (read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 18:46
S6	350	(((write) NEAR2 (pointer)) with (queue)) with (read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:01
S7	6	(((subsequent next future) NEAR0 (write)) NEAR2 (pointer address)) with (queue) with (read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:03
S8	93	(((subsequent next future) NEAR0 (write)) NEAR2 (pointer address)) with (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:14
S9	29	(schedul\$3 manage\$4) NEAR (write read) NEAR (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:15
S10	593	(schedul\$3 manage\$4) NEAR3 (write read) NEAR3 (command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:16
S11	489	(schedul\$3 manage\$4) NEAR3 (write read) NEAR0 (command\$1 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:16
S12	45	((schedul\$3 manage\$4) NEAR3 (write read) NEAR0 (command\$1 instruction\$1)) WITH (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:34

## EAST Search History

S13	317	((schedul\$3 manage\$4) NEAR3 (write) NEAR0 (command\$1 instruction\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 19:34
S14	39	((schedul\$3 manage\$4) NEAR3 (write) NEAR0 (command\$1 instruction\$1)) SAME (Queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:04
S15	333	"write-after-read" "write after read"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:05
S16	12	("write-after-read" "write after read") SAME (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:56
S17	165	("out of order" "out-of-order") NEAR (issue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:57
S18	29	((("out of order" "out-of-order") NEAR (issue)) SAME (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:58
S19	70	((("out of order" "out-of-order") NEAR2 (request write read issue)) SAME (queue FIFO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/16 13:59
S20	8627	(@ad<"20031121" @rlad<"20031121") AND ((queue) near3 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 10:59

## EAST Search History

S21	3566	(@ad<"20031121" @rlad<"20031121") AND ((queue) near3 (command instruction)) AND ((read load) near2 (command instruction)) AND ((write store) near2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 16:13
S22	617	(@ad<"20031121" @rlad<"20031121") AND ((queue) near3 (command instruction)) AND ((read load) near2 (command instruction)) AND ((write store) near2 (command instruction)) AND ((next) near2 (write store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 16:14
S23	60	(@ad<"20031121" @rlad<"20031121") AND ((queue) near3 (command instruction)) AND ((read load) near2 (command instruction)) AND ((write store) near2 (command instruction)) AND ((pointer) near2 (next) near2 (write store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 16:15
S24	64	(@ad<"20031121" @rlad<"20031121") AND ((queue) near3 (command instruction)) AND ((read load) near2 (command instruction)) AND ((pointer) near2 (next) near2 (write store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 15:51
S25	1731	(@ad<"20031121" @rlad<"20031121") AND ((queue fifo buffer) near2 (command instruction)) AND ((write store) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 15:52
S26	1199	(@ad<"20031121" @rlad<"20031121") AND ((queue fifo buffer) near2 (command instruction)) AND ((write) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 15:52
S27	502	(@ad<"20031121" @rlad<"20031121") AND ((queue) near2 (command instruction)) AND ((write) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 15:52
S28	36	(@ad<"20031121" @rlad<"20031121") AND ((queue) near2 (command instruction)) AND ((next subsequent future) NEAR2 (write) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 16:10

## EAST Search History

S29	37	(@ad<"20031121" @rlad<"20031121") AND ((queue chain fifo buffer) near2 (command instruction)) AND (((next subsequent future) adj2 (write)) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 16:25
S30	2	(@ad<"20031121" @rlad<"20031121") AND ((queue chain fifo buffer) near2 (command instruction)) AND (((next subsequent future) adj2 (write) adj2 (command instruction)) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 16:26
S31	2	(@ad<"20031121" @rlad<"20031121") AND (((next subsequent future) adj2 (write) adj2 (command instruction)) NEAR2 (pointer lookahead "look ahead"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 16:27
S32	950	(@ad<"20031121" @rlad<"20031121") AND ((next subsequent future) adj2 (write) adj2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 16:27
S33	193	(@ad<"20031121" @rlad<"20031121") AND (((next subsequent future) adj2 (write) adj2 (command instruction)) WITH (pointer address "look ahead" lookahead))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 17:35
S34	359	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer) Near2 (organize organization structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 17:37
S35	189	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer) Near2 (organize organization structure)) AND ((write store) near2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:02
S36	1239	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer) Near2 (order reorder reordering))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:03

## EAST Search History

S37	228	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer) Near2 (order reorder reordering)) AND ((write) near2 (command))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:22
S38	404	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer)) AND ((concurrent simultaneous) with (read) with (write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:23
S39	205	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue FIFO buffer)) AND ((concurrent simultaneous) with (read) with (write)) AND ((next subsequent) near3 (write read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:24
S40	159	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 ("linked list"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:27
S41	37	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) WITH ("doubly linked list"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:52
S42	5311	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) WITH (queue fifo buffer "linked list")) AND (pci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:53
S43	4251	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) WITH (queue fifo buffer "linked list")) AND ((pci) near2 (bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:54
S44	2243	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue fifo buffer "linked list")) AND ((pci) near2 (bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:54

## EAST Search History

S45	1003	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue fifo buffer "linked list")) AND ((pci) near2 (bus)) AND ((write) near2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:54
S46	794	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue fifo buffer "linked list")) AND ((pci) near2 (bus)) AND ((write) near2 (command instruction)) AND ((read) near2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/11 18:54
S47	63	(@ad<"20031121" @rlad<"20031121") AND ((command instruction) near2 (queue fifo buffer "linked list")) AND ((pci) near2 (bus)) AND ((next subsequent) near2 (write) near2 (command instruction)) AND ((read) near2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:04
S48	6	(@ad<"20031121" @rlad<"20031121") AND ((point pointer) adj2 (next subsequent) adj2 (write store) adj2 (command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:37
S49	4714	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:17
S50	1074	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((command instruction) near2 (queue fifo buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:18
S51	181	(@ad<"20031121" @rlad<"20031121") AND (710/5,6. CCLS. 711/154,155,158.CCLS. 712/214,215.CCLS.) AND ((command instruction) near2 (queue fifo buffer)) AND ((next subsequent) adj2 (write store))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:35